

06. C A



HT4021



RRROS

Calientes y fríos



Listos para el uso
que desees
Ready for the use you want



Carro Caliente con Puerta en Acero · Heated Banquet Trolley

Modelos · Models



CARRO CALIENTE
5 GN 2/1
HEATED BANQUET TROLLEY
5 GN 2/1

HT1021



CARRO CALIENTE
11 GN 2/1
HEATED BANQUET TROLLEY
11 GN 2/1

HT2021



CARRO CALIENTE
11+11 GN 2/1
HEATED BANQUET TROLLEY
11+11 GN 2/1

HT4021



MODELO Models	PRECIO PRICE	MEDIDAS Measures (mm)	TEMPERATURA Temperature (°C)	TENSIÓN -FRECUENCIA Electrical data	CAPACIDAD capacity	PUERTAS Doors	N° PARRILLAS J. GUÍAS N oshelves / slides	SEPARACIÓN ENTRE BANDEJAS Separation between trays	POTENCIA Power (W)
HT1021		910 x 827 x 1160	+50°C a +80°C	230V/50-60Hz	310L	1 puerta abatible apertura 270° / Ciega	10 GN 2/1 / 20 GN 1/1	57mm	2000
HT2021		910 x 827 x 1816	+50°C a +80°C	230V/50-60Hz	550L	1 puerta abatible apertura 270° / Ciega	22 GN 2/1 / 44 GN 1/1	57mm	2000
HT4021		910 x 1517 x 1816	+50°C a +80°C	230V/50-60Hz	1300L	1 puerta abatible apertura 270° / Ciega	22+22 GN 2/1 / 44 + 44 GN 1/1	57mm	2000



HT4021

