

11. Supermarket & Grocery Stores

Air curtains Supermarket

Models	Description	Page
IAG-SML09PCM1	Air curtains semi vertical	110
IAG-SML12PCM1	Air curtains semi vertical	110
IAG-SML12DCPCM1	Glass door semi vertical	110
IAG-SML18DCPCM1	Glass door semi vertical	110



Medium temp Multideck

Models	Description	Page
IAG-ML09DCPCM1	Reach-in Merchandisers	111
IAG-ML12DCPCM1	Reach-in Merchandisers	111
IAG-ML18DCPCM1	Reach-in Merchandisers	111
IAG-ML09PCM1	Grab and Go Merchandisers	111
IAG-ML12PCM1	Grab and Go Merchandisers	111
IAG-ML18PCM1	Grab and Go Merchandisers	111



Medium temp Stainless steel multideck

Models	Description	Page
IAG-ML09DCPIM1	Reach-in Merchandisers	112
IAG-ML12DCPIM1	Reach-in Merchandisers	112
IAG-ML18DCPIM1	Reach-in Merchandisers	112
IAG-ML09PIM1	Grab and Go Merchandisers	112
IAG-ML12PIM1	Grab and Go Merchandisers	112
IAG-ML18PIM1	Grab and Go Merchandisers	112



Semi Plug-In Multideck

Models	Description	Page
IAG-ML12DGUM1	Glass door reach in refrigerator 81" height	114
IAG-ML18DGUM1	Glass door reach in refrigerator 81" height	114
IAG-ML25DGUM1	Glass door reach in refrigerator 81" height	114
IAG-ML37DGUM1	Glass door reach in refrigerator 81" height	114
IAG-ML12DGU22M1	Glass door reach in refrigerator 87" height	114
IAG-ML18DGU22M1	Glass door reach in refrigerator 87" height	114
IAG-ML25DGU22M1	Glass door reach in refrigerator 87" height	114
IAG-ML37DGU22M1	Glass door reach in refrigerator 87" height	114
IAG-MN2PBTUL1	2 Glass door reach in freezer	115
IAG-MN3PBTUL1	3 Glass door reach in freezer	115



Deli - Display cases Straight glass

Models	Description	Page
IDC-VBC09 RIUCP / SCP	Deli display cases	116
IDC-VBC12 RIUCP / SCP	Deli display cases	116
IDC-VBC15 RIUCP / SCP	Deli display cases	116
IDC-VBC18 RIUCP / SCP	Deli display cases	116
IDC-VBC25 RIUCP / SCP	Deli display cases	116
IDC-VBC90ARIUCP	Deli display cases	116
IDC-VBC90CRIUCP	Deli display cases	116



Fish - Display cases

Models	Description	Page
IDC-VRP13	Fish display cases	117
IDC-VML 12	Fish display cases	117
IDC-VML 15	Fish display cases	117
IDC-VML 18	Fish display cases	117



Specifications



IAG-SML09PCM1



IAG-ML09PIM1



IAG-ML12PIM1

Sml Open

Exterior

- Black prepainted steel cabinet standard
- Glass sided panels
- Heavy duty ball transfer and levelling feet

Interior

- Pull down night curtain
- Led lighting in canopy and under each shelf
- Black prepainted steel cabinet standard.

Shelving

- [3] three rows of adjustable shelves
- Price channels included

Sml Glass Doors

Exterior

- Black prepainted steel cabinet standard
- Glass sided panels
- Heavy duty ball transfer and levelling feet

Interior

- Sliding glass doors
- Led lighting in canopy and under each shelf
- Black prepainted steel cabinet standard.

Shelving

- [3] three rows of adjustable shelves
- Price channels included

Refrigeration

- Digital temperature controller with automatic defrost system
- Stainless steel evaporative pan system,
- Forced refrigeration system
- Refrigerant gas R 290
- Case engineered to operate at 75°F and 55% relative humidity

Electrical

- 115v /1PH/60HZ/ 5-15/5-20P Plug



CM1



IAG-ML18DCPCM1

Air curtains painted steel

Exterior

- Pull down night curtain
- Black prepainted steel cabinet standard
- Glass sided panels
- Heavy duty ball transfer and levelling feet
- Aisi 304 stainless steel (inox) *only Air curtains semi vertical glass sided*

Interior

- Led lighting in canopy and under each shelf
- Black prepainted steel cabinet standard.
- Aisi 304 stainless steel (inox) *only Air curtains semi vertical glass sided*

Shelving

- [4] Four rows of adjustable shelves
- Price channels included

Refrigeration

- Digital temperature controller with automatic defrost system
- Double stainless steel evaporative pan system, first, by hot gas, second, by electrical resistance - Extractable condensing unit for easy service
- Forced refrigeration system
- Refrigerant gas R290
- Case engineered to operate at 75°F and 55% relative humidity

Electrical

- 220V /1PH/60HZ/L14-30P Plug [Open merchandiser].
- 115v /1PH/60HZ/ 5-15/5-20P Plug [Glass door merchandiser].

Air curtains stainless steel

Exterior

- Aisi 304 stainless steel
- Pull down night curtain
- Glass sided panels
- Heavy duty ball transfer and levelling feet

Interior

- Aisi 304 stainless steel
- Stainless steel internal panel perforated
- Led lighting in canopy and under each shelf

Shelving

- [4] Four rows of adjustable shelves
- Price channels included

Refrigeration

- Digital temperature controller with automatic defrost system
- Double stainless steel evaporative pan system, first, by hot gas, second, by electrical resistance - Extractable condensing unit for easy service
- Forced refrigeration system
- Refrigerant gas R290
- Case engineered to operate at 75°F and 55% relative humidity

Electrical

- 220V /1PH/60HZ/L14-30P Plug [Open merchandiser].
- 115v /1PH/60HZ/ 5-15/5-20P Plug [Glass door merchandiser].

Medium temp multideck, reach in/grab & go merchandiser Stainless Steel

MDCPI/MPI Series



IAG-ML12DCPIM1

LED lighting in canopy and under each shelf

Tilt-adjustable shelves

Price-holder 1.57 in. on shelves and exposition deck



New front bumper



IAG-ML12PIM1

4 shelves

Exposition deck

Price-holder 1.57 in. on shelves and exposition deck

MOD.	Overall Dimensions			(°F)	(ft³)	Doors	Shelves	[HP]	115V	230V	[Lbs]	DOE
IAG-ML09DCPIM1	37	34-5/6	78-3/4	33°F/41°F	32	2	4	1/2	13.43	-	485	Hydrocarbon R-290
IAG-ML12DCPIM1	49	34-5/6	78-3/4	33°F/41°F	43	2	4	3/4	11.3	-	697	Hydrocarbon R-290
IAG-ML18DCPIM1	73	34-5/6	78-3/4	33°F/41°F	73	3	4	3/4	17.4	-	908	Hydrocarbon R-290
IAG-ML09PIM1	37	34-5/6	78-3/4	33°F/41°F	32		4	1/2	-	9.2	397	Hydrocarbon R-290
IAG-ML12PIM1	49	34-5/6	78-3/4	33°F/41°F	43		4	3/4	-	1	591	Hydrocarbon R-290
IAG-ML18PIM1	73	34-5/6	78-3/4	33°F/41°F	73		4	3/4	-	3	710	Hydrocarbon R-290

