

5. Prep tables





Sandwich / Salad prep tables

Models	Description	Page
IRT-UC27P	1 Solid Door Refrigerator - 8 pans - 8 ft ³	58
IRT-UC36P	2 Solid Door Refrigerator - 12 pans - 11 ft ³	58
IRT-UC48P	2 Solid Door Refrigerator - 12 pans - 14 ft ³	58
IRT-UC60P	2 Solid Door Refrigerator - 16 pans - 17 ft ³	58
IRT-UC72P	3 Solid Door Refrigerator - 18 pans - 21 ft ³	58



Pizza Prep tables

Models	Description	Page
IRT-MR41EN	1 Solid Door Refrigerator - 7.8 ft ³	60
IRT-MR67EN	2 Solid Door Refrigerator - 17 ft ³	60
IRT-MR93EN	3 Solid Door Refrigerator - 27 ft ³	60
IRT-MR119EN	4 Solid Door Refrigerator - 39 ft ³	60



Sandwich / Salad prep tables - Megatop

Models	Description	Page
IRT-UC27PMT	1 Solid Door Refrigerator - 12 pans - Megatop - 8 ft ³	59
IRT-UC36PMT	2 Solid Door Refrigerator - 18 pans - Megatop - 11 ft ³	59
IRT-UC48PMT	2 Solid Door Refrigerator - 18 pans - Megatop - 14 ft ³	59
IRT-UC60PMT	2 Solid Door Refrigerator - 24 pans - Megatop - 17 ft ³	59
IRT-UC72PMT	3 Solid Door Refrigerator - 27 pans - Megatop - 21 ft ³	59



Granite top pizza prep tables

Models	Description	Page
IUC-MR93-GT COMBO	2 Solid Door Refrigerator - 17 ft ³	60
IUC-MR67-GT COMBO	2 Solid Door Refrigerator - 17 ft ³	60
IRT-MPG1490 COMBO	3 Solid Door Refrigerator - 27 ft ³	60
IRT-MPG1980 COMBO	3 Solid Door Refrigerator - 27 ft ³	60



Specifications

Sandwich salad prep tables & Megatop

Exterior

- AISI 430 stainless steel
- AISI 304 stainless steel top

Insulation

- CFC-Free polyurethane insulation, entire cabinet structure is foamed-in place using a high density polyurethane insulation
- Low GWP & Zero ODP effect

Doors

- Polyurethane insulated doors
- Self closing doors with stay open feature
- Stainless Steel heavy-duty hinges
- Triple chamber snap in door gaskets for easy removal and cleaning
- Field reversible doors
- Door opening WxH: 23-1/4"x21-7/8" [UC27P]; 19-5/8"x21-7/8" [UC48P/UC72P]; 25-5/8"x217/8" [UC60P]
- Door opening WxH: 23-1/4"x21-7/8" [UC27PMT]; 19-5/8"x21-7/8" [UC48PMT/UC72PMT]; 25-5/8"x21-7/8" [UC60PMT]

Interior

- AISI 430 stainless steel

Shelving

- [2] Two plastic coated wire shelves per section.

Refrigeration

- Temperature regulated by thermostatic control
- Energy-saving non-electric condensate pan
- Evaporator coil coated with anti-corrosion material 100% Polyester
- Forced air refrigeration system
- Front-breathing refrigeration system
- Refrigerant gas R290



UC27P



UC48PMT



MR41 EN

Pizza prep tables

Exterior

- AISI 430 stainless steel
- AISI 304 stainless steel top
- Sealed interior floors and rounded cabinet corners

Insulation

- CFC-Free polyurethane insulation, entire cabinet structure is foamed-in place using a high density polyurethane insulation
- Low GWP & Zero ODP effect

Doors

- Polyurethane insulated doors
- Self closing doors with stay open feature
- Stainless Steel heavy-duty hinges
- Triple chamber snap in door gaskets for easy removal and cleaning
- Field reversible doors
- Doors locks
- Door opening WxH: 21-5/8" x 20-5/8"

Interior

- AISI 430 stainless steel
- Internal drain plug for easy cleaning.

Shelving

- [2] Two plastic coated wire shelves per section with stainless steel tray slides included
- Compatible with 12"x20" and 18"x26" pans

Refrigeration

- Digital temperature controller with automatic defrost system
- Energy-saving non-electric condensate pan
- Extractable condensing unit for easy service
- Evaporator coil coated with anti-corrosion material 100% Polyester
- Forced air refrigeration system
- Refrigerant gas R290



Triple chamber snap in door gasket for easy cleaning



Extractable side mounted condensing unit for easy service



Protected digital Controller, with automatic Defrost



Each guide supports 132 lb



Cutting board 9-1/2" depth



MR119 EN



MR93GT COMBO

Granite top pizza prep tables

Exterior

- AISI 430 stainless steel
- AISI 304 stainless steel top

Insulation

- CFC-Free polyurethane insulation, entire cabinet structure is foamed-in place using a high density polyurethane insulation
- Low GWP & Zero ODP effect

Doors

- Polyurethane insulated doors
- Self closing doors with stay open feature
- Stainless Steel heavy-duty hinges
- Triple chamber snap in door gaskets for easy removal and cleaning
- Field reversible doors
- Doors locks

Interior

- AISI 430 stainless steel
- Internal drain plug for easy cleaning.
- Sealed interior floors and rounded cabinet corners

Shelving


- [1] One plastic coated wire shelves per door with stainless steel tray slides included
- Compatible with 12"x20" pans

Refrigeration

- Digital temperature controller with automatic defrost system
- Extractable condensing unit for easy service
- Evaporator coil coated with anti-corrosion material 100% Polyester
- Drain pan with condensate heater
- Front-breathing refrigeration system
- Refrigeration system independent for table and counter-top ingredient
- Refrigerant gas R290
- Expansion valve standard

Sandwich/Salad prep tables

UC P Series






MOD.	Overall Dimensions			Doors	[°F]	[ft³]	[HP]	115V [Amps]	[Lbs]	DOE
IRT-UC27P	27-3/4	30-1/8	46-1/4	1	35°F/41°F	8.0	1/4	3.9	300	Hydrocarbon R-290
IRT-UC36P	36-1/2	30-1/8	46-1/4	2	35°F/41°F	14.0	1/4	4.1	350	Hydrocarbon R-290
IRT-UC48P	48-1/2	30-1/8	46-1/4	2	35°F/41°F	14.0	1/4	4.1	400	Hydrocarbon R-290
IRT-UC60P	60-1/2	30-1/8	46-1/4	2	35°F/41°F	17.0	1/4	4.1	430	Hydrocarbon R-290
IRT-UC72P	72-5/8	30-1/8	46-1/4	3	35°F/41°F	21.0	1/3	4.6	506	Hydrocarbon R-290
IRT-UC27PMT	27-3/4	34-1/8	49	1	35°F/41°F	8.0	1/4	3.9	310	Hydrocarbon R-290
IRT-UC36PMT	36-1/8	34-1/8	49	2	35°F/41°F	14.0	1/4	4.1	360	Hydrocarbon R-290
IRT-UC48PMT	48-1/8	34-1/8	49	2	35°F/41°F	14.0	1/4	4.1	410	Hydrocarbon R-290
IRT-UC60PMT	60-3/8	34-1/8	49	2	35°F/41°F	17.0	1/4	4.1	500	Hydrocarbon R-290
IRT-UC72PMT	72-5/8	34-1/8	49	3	35°F/41°F	21.0	1/3	4.6	530	Hydrocarbon R-290

Height already includes 5-1/8" for casters

Sandwich/Salad prep tables MegaTop

UC PMT Series



STANDARD FEATURES

ELECTRICAL	Cord and NEMA 5-15P plug	Electrical connection is 115V / 1ph / 60Hz
OPTIONS	Drawer kit Flat lid Single overshelf	Double overshelf Set of 2" casters (locking on the front set)