

6. Bottle Coolers & Wine cabinets





Back Bar coolers

Models	Description	Page	Models	Description	Page
IMD-ERV36IIGD	Back bar cooler - 1 glass door	62	IMD-ERV15 GD	Narrow back bar cooler black 1 glass door	62
IMD-ERV60IIGD	Back bar cooler - 2 glass door	62	IMD-ERV25 GD	Narrow back bar cooler black 2 glass door	62
IMD-ERV84IIGD	Back bar cooler - 3 glass door	62	IMD-ERV35 GD	Narrow back bar cooler black 3 glass door	62
IMD-ERV36IISD	Back bar cooler - 1 solid door	62	IMD-ERV15 SD	Narrow back bar cooler black 1 solid door	62
IMD-ERV60IISD	Back bar cooler - 2 solid door	62	IMD-ERV25 SD	Narrow back bar cooler black 2 solid door	62
IMD-ERV84IISD	Back bar cooler - 3 solid door	62	IMD-ERV35 SD	Narrow back bar cooler black 3 solid door	62
IMD-ERV15 IIGD	Narrow back bar cooler - 1 glass door	62			
IMD-ERV25 IIGD	Narrow back bar cooler - 2 glass door	62			
IMD-ERV35 IIGD	Narrow back bar cooler - 3 glass door	62			



Merchandisers

Models	Description	Page
IMD-ERC 100	Sliding door merchandiser - 2 glass door	64
IMD-ERC 130	Sliding door merchandiser - 2 glass door	64
IMD-ERC 200	Sliding door merchandiser - 3 glass door	64
IMD-NEC501RV	Hinged doors minimarket freezer - 1 glass door	64
IMD-NEC501FV	Hinged doors minimarket freezer - 1 glass door	64
IMD-ERC130PH	Hinged doors minimarket - 2 glass door	64
IMD-ERC200PH	Hinged doors minimarket - 3 glass door	64
IMD-ERC130PHBT	Hinged doors minimarket freezer - 2 glass door	64
IMD-ERC200PHBT	Hinged doors minimarket freezer - 2 glass door	64

Wine Cellars/Retro-Wine cellars

Models	Description	Page
IMD-EVV100	Wine cellar- 1 glass door	66
IMD-EVV200MX	Wine cellar- 2 glass door dual zone	66
IMD-EVV23R1G	Single glass door refrigerator, vintage series	66
IMD-EVV49R2G	Double glass door refrigerator, vintage series	66



Specifications



Standard lock



Removable top to fit 34" counter height



Protected digital controller



ERV36 II SD



ERV15 II GD



ERV35 II GD



ERC130

Back bar coolers

Exterior

- AISI 430 stainless steel

Interior

- AISI 430 Stainless Steel
- Sealed interior floors

Insulation

- CFC-Free polyurethane insulation, entire cabinet structure is foamed-in place using a high density polyurethane insulation
- Low GWP & Zero ODP effect

Shelving

- [2] Two plastic coated wire shelves per section

Doors

- Self closing doors with stay open feature
- Stainless Steel heavy-duty hinges
- Triple chamber snap in door gaskets for easy removal and cleaning
- Doors locks
- Full-height door opening:
WxH= 19-5/8"x26-7/8"

Refrigeration

- Digital temperature controller with automatic defrost system
- Energy-saving non-electric condensate pan
- Evaporator coil coated with anti-corrosion material 100% Polyester
- Forced air refrigeration system
- Monoblok



ERC200PH

EVV49 R2G

Narrow back bar coolers

Exterior

- 430 stainless steel

Interior

- Grey coated steel
- Interior lighting / LED
- Plastic coated wire shelves, adjustable height and easy removal

Insulation

- Free CFC's high density [40kg/m3] polyurethane insulation with low GWP & zero ODP effect

Doors

- Doors with double glass. (6-10-4)
- Integrated lock
- Easy removal gasket
- Integrated handle doors

Refrigeration

- Forced air refrigeration system
- Evaporator coil coated with anti-corrosion material 100% Polyester
- Evaporative tray

Back bar collars
Narrow back bar coolers

ERV Series


ERV Series
ERV INOX Series



Removable top to fit 34" counter height



IMD-ERV36IISD



MOD.	Overall Dimensions			Doors	Temp (°F)	Volume (ft ³)	Power (HP)	115V	Weight (Lbs)	DOE
IMD-ERV36IIGD	36-1/4	23-3/4	34-1/2	1	33°F/38°F	5.72	1/5	3,8	280	Hydrocarbon R-290
IMD-ERV60IIGD	60-3/4	23-3/4	34-1/2	2	33°F/38°F	12.78	1/5	5,2	330	Hydrocarbon R-290
IMD-ERV84IIGD	85-1/4	23-3/4	34-1/2	3	33°F/38°F	19.85	1/3	6	500	Hydrocarbon R-290
IMD-ERV36IISD	36-1/4	23-3/4	34-1/2	1	33°F/38°F	5.72	1/5	3,8	280	Hydrocarbon R-290
IMD-ERV60IISD	60-3/4	23-3/4	34-1/2	2	33°F/38°F	12.78	1/5	5	330	Hydrocarbon R-290
IMD-ERV84IISD	85-1/4	23-3/4	34-1/2	3	33°F/38°F	19.85	1/3	5,7	500	Hydrocarbon R-290
IMD-ERV15 IIGD	23-3/4	20-1/8	35-3/4	1	39°F/54°F	5	1/6	3	152	Hydrocarbon R-290
IMD-ERV25 IIGD	35-1/2	20-1/8	35-3/4	2	39°F/54°F	8	1/5	3,4	202	Hydrocarbon R-290
IMD-ERV35 IIGD	53-1/4	20-1/8	35-3/4	3	39°F/54°F	11.6	1/4	3	284	Hydrocarbon R-290
IMD-ERV15 GD	23-3/4	20-1/8	35-3/4	1	39°F/54°F	5	1/5	3	152	Hydrocarbon R-290
IMD-ERV25 GD	35-1/2	20-1/8	35-3/4	2	39°F/54°F	8	1/5	3,4	202	Hydrocarbon R-290
IMD-ERV35 GD	53-1/4	20-1/8	35-3/4	3	39°F/54°F	11.6	1/4	4,10	284	Hydrocarbon R-290
IMD-ERV15 SD	23-3/4	20-1/8	35-3/4	1	33°F/38°F	5	1/5	3	280	Hydrocarbon R-290
IMD-ERV25 SD	35-1/2	20-1/8	35-3/4	2	33°F/38°F	8	1/5	3,4	330	Hydrocarbon R-290
IMD-ERV35 SD	53-1/4	20-1/8	35-3/4	3	33°F/38°F	11,6	1/4	4,6	500	Hydrocarbon R-290

Narrow back bar coolers black finish

ERV Series

IMD-ERV35IIGD



RGB LED lighting
[optional]

IMD-ERV25 GD



RGB LED lighting
[optional]

IMD-ERV15 SD



IMD-ERV25 SD



STANDARD FEATURES


ELECTRICAL	Cord and NEMA 5-15P plug. Electrical connection is 115V / 1ph / 60Hz.
OPTIONS	Set of 4" casters, Set of 4" casters, front locking.

ERC Series

Merchandise sliding doors

ERC Series

IMD-ERC130



[Sliding glass]

IMD-ERC200



[Sliding glass]

**OPTIONAL
CUSTOMIZED**

White
Optional

Black
Standar

MOD.	Overall Dimensions			Doors	(°F)	(ft ³)	(HP)	115V	[Lbs]	DOE
IMD-ERC 100	27-3/4	33-1/8	78-7/8	2	39°F/46°F	40	3/4	8,7	350	Hydrocarbon R-290
IMD-ERC 130	31-5/8	33-1/8	78-7/8	2	39°F/46°F	46	3/4	9,2	600	Hydrocarbon R-290
IMD-ERC 200	31-5/8	33-1/8	78-7/8	3	39°F/46°F	72	1	10,8	820	Hydrocarbon R-290
IMD-NEC501RV	27	27-3/8	79-1/8	1	36 °F/46°F	15	1/3	5	300	Hydrocarbon R-290
IMD-NEC501FV	27	27-3/8	79-1/8	1	5°F/-13°F	15	3/4	9	300	Hydrocarbon R-290
IMD-ERC130PH	54-1/2	33-1/8	78-7/8	2	39°F/46°F	40	3/4	9,2	650	Hydrocarbon R-290
IMD-ERC200PH	81-7/8	33-1/8	78-7/8	3	39°F/46°F	63	1	10,8	850	Hydrocarbon R-290
IMD-ERC130PHBT	54-1/2	33-1/8	78-7/8	2	- 0°F	40	1-1/4	16	650	Hydrocarbon R-290
IMD-ERC200PHBT	81-7/8	33-1/8	78-7/8	3	- 0°F	63	1-1/4+ 1-1/4	32	850	Hydrocarbon R-290

Merchandiser hinged doors

ERC Series

IMD-ERC 200 PH



IMD-NEC501 FV



IMD-ERC130 PH



**OPTIONAL
CUSTOMIZED**

- White
Optional
- Black
Standar

STANDARD FEATURES

ELECTRICAL	Cord and NEMA 5-15P plug. Electrical connection is 115V / 1ph / 60Hz.
OPTIONS	Set of 4" casters,

6 COOLERS & WINE CABINET

Wine cellars EVV Series


Wine cellars

EVV Series


IMD-EVV100



Cherry color standard



Shelves



Option Shelves

IMD-EVV200MX



Cherry color standard

OPTIONAL CUSTOMIZED

White
Optional

Black
Optional

Cherry color standard



MOD.	Overall Dimensions			Doors	Bottles	(°F)	(ft ³)	(HP)	115V	[Lbs]	DOE
IMD-EVV100	25 - 7/8	23-1/2	75-1/2	1	100	39°F/64°F	12	1/4	4.2	360	Hydrocarbon R-290
IMD-EVV200MX	51- 3/4	23-1/2	75-1/2	2	100+100	39°F/64°F	12+12	1/4+1/4	8.4	630	Hydrocarbon R-290
IMD-EVV23R1G	27-1/8	23-5/8	80	1	90	39°F/64°F	11.3	1/3	4.5	310	Hydrocarbon R-290
IMD-EVV49R2G	54-1/2	23-5/8	80	2	90+90	39°F/64°F	22.6	1/3+1/3	6.65	580	Hydrocarbon R-290

VINTAGE Series

Infrico Food Service Equipment '24

Retro-refrigerator

VINTAGE Series

IMD-EVV23R1G



Shelves



IMD-EVV49R2G



**OPTIONAL
CUSTOMIZED**

White
Optional

Black
Optional

Cherry color standard

6 COOLERS & WINE CABINET

STANDARD FEATURES

ELECTRICAL	
OPTIONS	