

7. Display cases





Deli - Display cases Straight glass

Models	Description	Page
IDC-VBC9 RCP / SCP	Deli display cases	72
IDC-VBC12 RCP / SCP	Deli display cases	72
IDC-VBC15 RCP / SCP	Deli display cases	72
IDC-VBC18 RCP / SCP	Deli display cases	72
IDC-VBC25 RCP / SCP	Deli display cases	72
IDC-VBC90AA RCP / SCP	Deli display cases	72



Fish - Display cases

Models	Description	Page
IDC-VRP13	Fish display cases	73
IDC-VML 12	Fish display cases	73
IDC-VML 15	Fish display cases	73
IDC-VML 18	Fish display cases	73



Pastry - Display cases

Models	Description	Page
IDC-VBR9R	Pastry disp. cases curved glass	74
IDC-VBR12R	Pastry disp. cases curved glass	74
IDC-VBR18R	Pastry disp. cases curved glass	74
IDC-VBR9SS	Pastry disp. cases curved glass	74
IDC-VBR12SS	Pastry disp. cases curved glass	74
IDC-VBR18SS	Pastry disp. cases curved glass	74
IDC-VBR9PR	Pastry disp. cases straight glass	74
IDC-VBR12PR	Pastry disp. cases straight glass	74
IDC-VBR18PR	Pastry disp. cases straight glass	74
IDC-VBR9FG	Pastry disp. cases straight glass	75
IDC-VBR12FG	Pastry disp. cases straight glass	75
IDC-VBR18FG	Pastry disp. cases straight glass	75
IDC-VC09	Pastry disp. cases straight glass combo series	76
IDC-VC012	Pastry disp. cases straight glass combo series	76
IDC-VC015	Pastry disp. cases straight glass combo series	76
IDC-VC018	Pastry disp. cases straight glass combo series	76



Gelato - Display cases

Models	Description	Page
IDC-VAR12H	Gelato curved glass - Width 49-1/4" - 9.5 ft3	78
IDC-VAR15H	Gelato curved glass - Width 61-1/2" - 15.2 ft3	78
IDC-VAR18H	Gelato curved glass - Width 73-7/8" - 20.2 ft3	78
IDC-VAR12HFG	Gelato flat glass - Width 49-1/4" - 9.5 ft3	78
IDC-VAR15HFG	Gelato flat glass - Width 61-1/2" - 15.2 ft3	78
IDC-VAR18HFG	Gelato flat glass - Width 73-7/8" - 20.2 ft3	78



Specifications



Front bumper [VBC]



Anodized aluminium profile



VBC15R CP / S CP



VBR12R




VBR18 SS

VBC Supermarket display counter for meat and deli


- Wide product range for all types of commercial sales
- Models without and with storage refrigerated to multiply the options of sales service
- Full visibility of display products
- Illuminated glass middle shelf
- Double row led lighting
- Designed specifically for meats and pre-cooked foods already packaged, delicatessen, dairy and sandwiches
- Ergonomic worktop in AISI304 stainless steel finish
- Exhibition area in AISI304 stainless steel
- Elevating front glass for easy access to exhibition and cleaning plan
- Structure and glass support in anodized aluminium profiles
- Temperature range: M1, M2 [ISO23953]

VBR Pastry display cases

- Flexibility of layout to combine different types of sales
- High capacity with four exposure levels
- Folding front tempered glass
- Interior exhibition in AISI304 stainless steel
- Glass shelves with anodized aluminium profile
- High pressure injected polyurethane insulation, CFC's free
- Front decoration in water-repellent DM high resistance lacquer
- Electronic control
- Automatic defrost
- 6000K led lighting on exposure, shelves and decorative
- Night curtain [SS model]



Night curtain [VBR SS]



Back doors [VBR R/PR]



VBR12PR

VC015

VCO dual service display cases for bakery

- Dual service: refrigerated and ambient temperature
- Neutral upper part for the display and sale of neutral bakery product
- Bottom part for self-service refrigerated product sales
- Perfect mix for cross-selling in your sales area
- High capacity with 2 display levels

Lower part

- Module with built-in group
- High capacity with two exposure levels
- Interior in epoxy painted steel
- Front & side decoration in water-repellent DM high resistance lacquer
- High pressure injected polyurethane insulation, CFC's free
- Electronic control
- Night curtain
- Automatic defrosting
- Led lighting cold white 6000K on exposition deck

Upper part

- Neutral module
- Tempered front glass
- Rear sliding doors
- Double side glass
- Glass top shelf
- Anodized aluminium profiles

VAR Series

Gelato display cases

VAR H / VAR HFG Series

IDC-VAR18H




Important:
Remove gelato product every night and store them inside a regular freezer, to allow proper defrost cycle and cleaning on the equipment.

Lift-up curved glass system supported by hydraulic pistons



IDC-VAR12H

VAR



8 Optional 14 Standard 10 Optional 16 Standard 14 Optional 20 Standard

MOD.	Overall Dimensions			Doors	Pans	(°F)	(ft ³)	(HP)	115V	220V	[Lbs]	DOE
IDC-VAR12H	53-3/8	45-1/16	51-9/16		14	0°F / 5°F	3.45	1-1/4	4.9	5.8	660	Hydrocarbon R-290
IDC-VAR15H	64-5/8	45-1/16	51-9/16		16	0°F / 5°F	3.95	1+1/2	5.4	6.1	796	Hydrocarbon R-290
IDC-VAR18H	77	45-1/16	51-9/16		20	0°F / 5°F	4.95	1-1/4 + 3/4	6.5	7.8	940	Hydrocarbon R-290
IDC-VAR12HFG	51-1/8	43-7/8	52		14	0°F / 5°F	3.45	1-1/4	4.9	5.8	765	Hydrocarbon R-290
IDC-VAR15HFG	63-7/8	43-7/8	52		16	0°F / 5°F	3.95	1+1/2	5.4	6.1	930	Hydrocarbon R-290
IDC-VAR18HFG	76-1/4	43-7/8	52		20	0°F / 5°F	4.95	1-1/4 + 3/4	6.5	7.8	1022	Hydrocarbon R-290

VAR H / VAR HFG Series

IDC-VAR18HGF



Tilt forward frontal tempered glass system



Important:
Remove gelato product every night and store them inside a regular freezer, to allow proper defrost cycle and cleaning on the equipment.

Pan Dimensions:

14-1/4 x 10"
Optional

14-1/4 x 6-1/2"
Standard



Poppicle holder [optional]



Combination of trays



Removable evaporation tray-Easy cleaning



LED Technology



Folding glass cover



Night cover

STANDARD FEATURES

OPTIONS	Exterior Colors							
	RAL 4007 Violet	RA 2003 Orange	RAL 5015 Blue	RAL DESIGN 3504035 Pink	RAL DESIGN 2108025 Sky blue	RAL DESIGN 1107060 Pistachio	RAL 3003 Maroon	RAL 1018 Yellow
	RAL 9016 White	RAL 3020 Red	RAL 1001 Beige	RAL 6002 Dark Green				