

9. Supermarket multidesk merchandise





Air curtains Supermarket

Models	Description	Page
IAG-SML9CM2	Air curtains semi vertical	90
IAG-SML12CM2	Air curtains semi vertical	90
IAG-SML18CM2	Air curtains semi vertical	90

Medium temp Multideck


Models	Description	Page
IAG-ML9DCCM1	Reach-in Merchandisers	91
IAG-ML12DCCM1	Reach-in Merchandisers	91
IAG-ML18DCCM1	Reach-in Merchandisers	91
IAG-ML9CM1	Grab and Go Merchandisers	91
IAG-ML12CM1	Grab and Go Merchandisers	91
IAG-ML18CM1	Grab and Go Merchandisers	91

Medium temp Stainless steel multideck

Models	Description	Page
IAG-ML 9DCIM1	Reach-in Merchandisers	92
IAG-ML 12DCIM1	Reach-in Merchandisers	92
IAG-ML 18DCIM1	Reach-in Merchandisers	92
IAG-ML 9IM1	Grab and Go Merchandisers	92
IAG-ML 12IM1	Grab and Go Merchandisers	92
IAG-ML 18IM1	Grab and Go Merchandisers	92



Specifications



SML9 C



ML9 I



ML12 C

Vertical & glass sided / Air curtains semi vertical glass sided

Exterior

- Pull down night curtain
- Black prepainted steel cabinet standard
- Glass sided panels
- Heavy duty ball transfer and levelling feet
- Aisi 304 stainless steel (inox) *only Air curtains semi vertical glass sided*

Interior

- Led lighting in canopy and under each shelf
- Black prepainted steel cabinet standard.
- Aisi 304 stainless steel (inox) *only Air curtains semi vertical glass sided*

Shelving

- [4] Four rows of adjustable shelves
- Price channels included

Refrigeration

- Digital temperature controller with automatic defrost system
- Double stainless steel evaporative pan system, first, by hot gas, second, by electrical resistance - Extractable condensing unit for easy service
- Forced refrigeration system
- Refrigerant gas R404A
- Case engineered to operate at 75°F and 55% relative humidity

Electrical

- 220V /1PH/60HZ/L14-30P Plug [Open merchandiser].
- 115v /1PH/60HZ/ 5-15/5-20P Plug [Glass door merchandiser].



ML18DC C

Air curtains stainless steel

Exterior

- Aisi 304 stainless steel
- Pull down night curtain
- Glass sided panels
- Heavy duty ball transfer and levelling feet

Interior

- Aisi 304 stainless steel
- Stainless steel internal panel perforated
- Led lighting in canopy and under each shelf

Shelving

- (4) Four rows of adjustable shelves
- Price channels included

Refrigeration

- Digital temperature controller with automatic defrost system
- Double stainless steel evaporative pan system, first, by hot gas, second, by electrical resistance - Extractable condensing unit for easy service
- Forced refrigeration system
- Refrigerant gas R404A
- Case engineered to operate at 75°F and 55% relative humidity



Electrical

- 220V /1PH/60HZ/L14-30P Plug [Open merchandiser].
- 115v /1PH/60HZ/ 5-15/5-20P Plug [Glass door merchandiser].

SML Series

Low profile air curtains

SML Series





New front bumper



MOD.		Overall Dimensions			(°F)	(ft ³)	(ft ²)	Shelves	DOE
IAG-SML9CM2	40	34-5/6	59-1/6	35.6°F/39,2°F	6-1/3	9-1/3	3	Hydrocarbon R-290	
IAG-SML12CM2	52-1/3	34-5/6	59-1/6	35.6°F/39,2°F	8-1/2	12-1/2	3	Hydrocarbon R-290	
AIG-SML18CM2	77	34-5/6	59-1/6	35.6°F/39,2°F	12-5/6	18-5/6	3	Hydrocarbon R-290	

COLORS	Exterior Colors							Interior Colors	
	Ral 1015 Beige	Ral 1018 Yellow	Ral 2003 Orange	Ral 3003 Maroon	Ral 3020 Red	Ral 5015 Blue	Ral 5017 Dark blue	White	
	Ral 5011 Steel blue	Ral 6002 Dark Green	Ral 6018 Green	Ral 6019 Pastel Green	Ral 7016 Anthracita	Ral 7035 Light gary	Ral 7037 Dusty grey	Black	
Ral 7042 Traffic gray	White	Black	Stainless Steel				Stainless Steel		

Medium temp multideck, reach in/grab & go merchandiser MDC/M Series



MOD.	Overall Dimensions			[°F]	(ft ³)	Doors	Shelves	(HP)	115V	230V	[Lbs]	DOE
IAG-ML9DCCM1	40	34-5/6	78-3/4	33°F/41°F	15	2	4	5/8	10.4	-	485	Hydrocarbon R-290
IAG-ML12DCCM1	52-1/3	34-5/6	78-3/4	33°F/41°F	26	2	4	5/8	11.3	-	697	Hydrocarbon R-290
IAG-ML18DCCM1	77	34-5/6	78-3/4	33°F/41°F	40	3	4	1	17.4	-	908	Hydrocarbon R-290
IAG-ML9CM1	40	34-5/6	78-3/4	33°F/41°F	15		4	1	17.9	9.2	397	Hydrocarbon R-290
IAG-ML12CM1	52-1/3	34-5/6	78-3/4	33°F/41°F	25		4	1-1/4	2	1	591	Hydrocarbon R-290
IAG-ML18CM1	77	34-5/6	78-3/4	33°F/41°F	40		4	1-1/2	3.2	3	710	Hydrocarbon R-290

COLORS	Exterior Colors							Interior Colors	
	Ral 1015 Beige	Ral 1018 Yellow	Ral 2003 Orange	Ral 3003 Maroon	Ral 3020 Red	Ral 5015 Blue	Ral 5017 Dark blue	White	
	Ral 5011 Steel blue	Ral 6002 Dark Green	Ral 6018 Green	Ral 6019 Pastel Green	Ral 7016 Anthracita	Ral 7035 Light gary	Ral 7037 Dusty grey	Black	
Ral 7042 Traffic gray	White	Black	Stainless Steel				Stainless Steel		

SUPERMARKET MULTIDECK MERCHANDISERS 9

Medium temp multideck, reach in/grab & go merchandiser **MDCI/MI Series** Stainless Steel



MOD.	Overall Dimensions			(°F)	(ft ³)	Doors	Shelves	(HP)	115V	230V	[Lbs]	DOE
IAG-ML9DCIM1	40	34-5/6	78-3/4	33°F/41°F	15	2	4	5/8	10.4	-	485	Hydrocarbon R-290
IAG-ML12DCIM1	52-1/3	34-5/6	78-3/4	33°F/41°F	26	2	4	5/8	11.3	-	697	Hydrocarbon R-290
IAG-ML18DCIM1	77	34-5/6	78-3/4	33°F/41°F	40	3	4	1	17.4	-	908	Hydrocarbon R-290
IAG-ML9IM1	40	34-5/6	78-3/4	33°F/41°F	15		4	1	17.9	9.2	397	Hydrocarbon R-290
IAG-ML12IM1	52-1/3	34-5/6	78-3/4	33°F/41°F	25		4	1-1/4	2	1	591	Hydrocarbon R-290
IAG-ML18IM1	77	34-5/6	78-3/4	33°F/41°F	40		4	1-1/2	3.2	3	710	Hydrocarbon R-290

