


MODEL: MB80CH4 MB100CH4 BUFFET TABLE: Ice cream tank.



MB80CH4
Provisional image

General Strengths

- ✓ *Infrico Buffet has been designed to respond each of the users exigencies regarding the service and presentation of foods. Allowing independents areas in function the type of foods.*
- ✓ *All condenser units are tested 100%, in helium chambers to refrigerant leak detections.*
- ✓ *Control systems. Higher precision in managing temperature settings. Greater ability to adjust of temperature ranges as per the end user's requirement.*
- ✓ *Infrico is AENOR audited and certified by internationally recognized firm. ISO 9001:2015 (Quality); ISO 14001:2015 (Environmental); OSHAS 18001:2007 (Prevention and Worker Safety). Audited and Certified by INTERTEK for compliance with UL 471 and NSF 7.*
- ✓ *Lighting. LED lighting in the canopy and cabinet sides reduces the energy consumption by 80% and 90% compared to a traditional bulb. Provides a much better light quality.*

Review: 01 Date: 28/08/2018 MB80CH4_FT_En_0.1

MODEL	Dimensions (mm)			Shelves	Nº Buckets	Chamber Volume (L)	Gross Volume (L)	Power (W)	Temperature regime (°C)	Ref.	Gas charge (gr.)	Net Weight (Kg.)
	Width	Depth	High									
MB80CH4	1100	830	900	1	4	55	822	294	-12°C/-18°C	R404A	650	100
MB100CH4	1100	1000	900	1	4	55	822	294	-12°C/-18°C	R404A	650	115

WE RESERVE THE RIGHT TO CHANGE SPECIFICATIONS WITHOUT PRIOR NOTICE



Infrico
 Ctra. de Aguilar A-318 por
 Moriles km. 15,5 - A-3132.
 14900 Lucena (Córdoba)
 Spain

www.infrico.com
info@infrico.com
 Tel. 00 34 957 51 03 03
 Fax. 00 34 957 51 03 04

APPROVALS: _____

AVAILABLE AT: _____



MODEL: MB80CH4 MB100CH4 BUFFET TABLE: Ice cream tank.

STANDARD FEATURES

➤ **Modular Line**

- Modules come in 1 widths: 1100 mm,
- Two depths are 830 and 1000 mm.

➤ **Exterior**

- Shelf and worktop for dishes made in COMPAC,
- Removable inferior base for all models,
- Adjustables legs,
- Casters kit for all models,
- Dishes shelves with LED lighting,
- Removable sides for easy access,
- Nata white standard top.

➤ **Interior**

- AISI 430 Series Stainless Steel,
- Drain inside the cabinet.
- Wide rounded corners to aid cleaning.

OPTIONAL

- Upper mounts.
- Glazing.
- GN ice trays.
- Electrical connection 220 V / 1 ph / 60 Hz.
- Electrical connection 115 V / 1 ph / 60 Hz.

➤ **Insulation**

- Insulation by free CFC's polyurethane foam high-pressure injected with density 40 Kg/m³,
- Zero ODP and Low GWP.

➤ **Trays**

- Ice cream tank with capacity for 4 (5 liter) trays with maximum depth of 150 mm.

➤ **Refrigeration**

- Temperature and automatic defrost regulated by a digital controller,
- Temperature range in ice cream tank -12°C/-18°C,
- System of Ventilated Condensation,
- System of Static Evaporation,
- Climatic class 4 (30°C, 55%RH).

➤ **Electrical**

- Electrical connection: 220 V / 1 ph / 50 Hz



Review: 01 Date: 28/08/2018 MB80CH4_FT_En_0.1

MODEL	Dimensions Palletizing (mm)			Crated Weight (Kg.)	Comp. (HP)	Cooling Power (W to -30°C)	Cons. (kWh/24h)	Intens. (A)	Container 20' / 40' / 40' HC	Trailer
	Width	Depth	High							
MB80CH4	1200	930	1000	120	1/3	258	4,23	1,28	20 / 44 / 44	56
MB100CH4	1200	1100	1000	135	1/3	800	4,23	1,28	20 / 40 / 40	48

WE RESERVE THE RIGHT TO CHANGE SPECIFICATIONS WITHOUT PRIOR NOTICE



Infrico
 Ctra. de Aguilar A-318 por Moriles km. 15,5 - A-3132.
 14900 Lucena (Córdoba)
 Spain

www.infrico.com
 info@infrico.com
 Tel. 00 34 957 51 03 03
 Fax. 00 34 957 51 03 04


APPROVALS: _____

AVAILABLE AT: _____




MODEL: MB80CH4 MB100CH4 BUFFET TABLE: Ice cream tank.

GENERAL VIEW



CONNECTIONS

MODEL	A (mm)	B (mm)	C (mm)	D (mm)	E (mm)
MB80CH4	637	315	240	194	128
MB100CH4	637	315	325	194	213



WE RESERVE THE RIGHT TO CHANGE SPECIFICATIONS WITHOUT PRIOR NOTICE

Review: 01 Date: 28/08/2018 MB80CH4_FT_En_0.1