

DTCF 90/ DTCF92 / DTCF 120



DTCF 92



DTCF 90



DTCF 120

DTCF92




DTCF 90/ DTCF92 / DTCF 120

	DTCF 90/ DTCF92 / DTCF 120		
Medidas LxFxA/Dimensions LxDxH/Dimensions (L-P-H mm)	905x700x600	905x700x865	1230x700x600
Medidas de embalaje/ Packing measures / Mesures d'emballage (L-P-H mm)	940x740x700	940x740x965	1270x740x700
Acabado/ Finish/ Finition	AISI 304 stainless steel, scotch brite		
Datos técnicos/Technical Features/z Informations techniques			
Tensión/Power/Tension	220-240 V ~ 50 Hz		
Capacidad máxima de carga del cajón/Drawer maximum load capacity/Capacité de charge maximale du tiroir	50 kg	60kg	2 x 50kg
Volumen/Volume/Volume	78L	179L	116L
Temperatura/ temperatura/ temperatura	0°C/10°C -10°C/21°C		
Cajón interior estándar/Standard inner drawer/Tiroir intérieur standard	2* GN 1/1 pans	2X 2* GN 1/1 pans	3* GN 1/1 pans
Sistema de condensación/Condensation system/Système de condensation	Ventilado/Ventilated/ Ventilé		
Desescarche/ Defrost/ Dégivrage	Automático con resistencia/ Automatic with resistance/ Automatique avec résistance		
Consumo/consumption/Consommation	2.2Kw →0°C/10°C 6.5Kw→-10°C/21°C	4.4Kw→0°C/10°C 13Kw→-10°C/21°C	2.6Kw→0°C/10°C 6.8→-10°C/21°C
Potencia/Power/Puissance	345	689	345
Refrigerante/ Refrigerant/ Refrigerant	R290		


DTCF 90/ DTCF92 / DTCF 120

VISTAS GENERALES/ GENERAL VIEWS/ VUES GÉNÉRALES

DTCF 90



DTCF 92



www.infrico.com

info@infrico.com

Ctra. de Aguilar A-318 por Moriles Km. 15,5 – A-3132 - 14900, Lucena (Córdoba)

Características técnicas y constructivas sujetas a variación sin previo aviso

We reserve the right to change specifications without prior notice

Les caractéristiques techniques et la conception peuvent être sujettes à modifications, sans préavis



DTFC 120

