


Modelo:


VLY_90M+




VLY90ACM



VLY90AAM



VLY45ACM




VLY45AAM

DATOS GENERALES






	MODELO			
	VLY90ACM	VLY90AAM	VLY45ACM	VLY45AAM
LONGITUD FRONTAL (mm)	2325	1859	1292	1036
ESPESOR LATERALES (mm)	30+30			
SUPERFICIE EXPORSIÓN (m ²)	1,71	1,23	0,86	0,61
VOLUMEN BRUTO (lts.)	207	162	122	102
POTENCIA (W)	12	19	6	10
INTENSIDAD (A)	0,05	0,09	0,03	0,05
TENSIÓN / FRECUENCIA	220V / 50Hz			
PESO BRUTO (kg)	248	211	139	122
DIM. EN TRANSPORTE (mm) LARGO X ANCHO X ALTO	2375 X 1195 X 1137	1915 X 1095 X 1137	1135 X 1135 X 1041	1135 X 1135 X 1041

VISTAS GENERALES

VLY90AAM




VLY45AAM








VISTAS GENERALES

VLY90ACM



VLY45ACM





Baguette BLANCHE 4'00
Small BLACK 1'10
Small BERRY 1'00
Small CHOC 1'45
Small PASTRY DANISH 1'35

Model:
VLY_90M+


VLY_90-45M+




VLY90ACM



VLY90AAM



VLY45ACM



VLY45AAM

GENERAL DATA






	MODEL			
	VLY90ACM	VLY90AAM	VLY45ACM	VLY45AAM
LENGTH (mm)	2325	1859	1292	1036
SIDE WALL THICKNESS (mm)	30+30			
EXHIBITION AREA (m ²)	1,71	1,23	0,86	0,61
GROSS VOLUME (lts.)	207	162	122	102
POWER (W)	12	19	6	10
CURRENT (A)	0,05	0,09	0,03	0,05
VOLTAGE / FREQUENCY	220V / 50Hz			
WEIGHT (kg)	248	211	139	122
DIMENSIONS IN TRANSPORT (mm)	2375 X 1195 X 1137	1915 x 1095 x 1137	1135 X 1135 X 1041	1135 X 1135 X 1041

INSTALLATION DETAILS

VLY90AAM




VLY45AAM








INSTALLATION DETAILS

VLY90ACM



VLY45ACM





Modèle:
VLY_90M+


VLV_90-45M+




VLY90ACM



VLY90AAM



VLY45ACM




VLY45AAM

DONNÉES GÉNÉRALES






	MODELO			
	VLY90ACM	VLY90AAM	VLY45ACM	VLY45AAM
LONGEUR (mm)	2325	1859	1292	1036
ÉPAISSEUR DU CÔTÉ (mm)	30+30			
ESPACE D'EXPOSITION (m ²)	1,71	1,23	0,86	0,61
VOLUME BRUT (lts.)	207	162	122	102
POWER (W)	12	19	6	10
CURRENT (A)	0,05	0,09	0,03	0,05
TENSION / FRÉQUENCE	220V / 50Hz			
POIDS BRUT (kg)	248	211	139	122
DIMENSIONS POUR TRANSPORTS (mm)	2375 X 1195 X 1137	1915 x 1095 x 1137	1135 X 1135 X 1041	1135 X 1135 X 1041

DONNÉES D'INSTALLATION

VLY90AAM




VLY45AAM



DONNÉES D'INSTALLATION

VLY90ACM



VLY45ACM

